

L8 SERIES

SMART IR 

REPEATER

||||| The latest product in 2020 |||||



Remote
control



Support code
Scanning



Scene
node



Smart IR Repeater



1 Indicator

3 Set key

2 Power supply connector

Smart IR Repeater

Easy Setting ,Free Control
Show You the Many Possibilities
of Smart Home






Control TV



Control TV

Easy Control Present the
Smart Home Horizon Here





Control AC



Control AC

Customize Comfortable Temperatures
For You Throughout the Year





Control DVD



Control DVD

Audio and Video Entertainment
One-click Control





Control Sound System

Control Home Audio
and Enjoy Different Conveniences





Environmental friendly fireproof material

ABS raw materials, environmentally friendly
and high temperature resistant

Environmental friendly material, no toxicity or smell, can be electrically insulated, not easily deformed in high temperature environments. Its deformation temperature is 93-118 ° C, in addition, it can maintain good performance under low temperature -40 ° C, so ABS is a very safe material.





Remote control




Mobile Phone Control

Remote control. Feel free to travel

Open mobile app, shows the real-time status of IR repeater,
we refuse lost of electricity





Simple Scene Mode Setting



Click enter interface


Select turn on AC



After finish setting click

WIFI-MESH Network More Faster and Stable


L8 system switch adopts the latest Google WIFI Mesh technology, WIFI automatic signal forwarding between switches, automatic networking, fast networking, simple operation, no need to arrange multiple AP or WIFI routers, the number of networking switches can reach 255 nodes, the signal can easily cover a variety of large or large office buildings.



One-click Configuration Takes only Three Steps



1. Press add device, choose L8, input router WiFi password



2. Scan the QR code on device



3. Configuration finished

Product Parameters




front



side

PRODUCT PARAMETERS	
SIZE:	105X105X27MM
ITEM NO:	L8-HR
WEIGHT:	0.3KG
PACKING BOX SIZE:	170×135×47MM
MATERIALS:	ABS
RATED VOLTAGE:	DC 5V
STANDBY POWER:	0.5W
LOAD TYPE:	ALL APPLIANCES WITH INFRARED REMOTE
WIRELESS STANDARDS:	IEEE 802.11B/G/N
FREQUENCY RANGE:	2.405GHZ~2.480GHZ
RECEIVING SENSITIVITY:	-97DBM@250KBPS
OPERATING TEMPERATURE:	-25 °C +60°C
RELATIVE HUMIDITY:	<95%

wiring diagram



package





GO SMART
IDEA



GO SMART IDEA SDN BHD



main@gosmartidea.com



<https://www.gosmartidea.com>



**NO.B-01-01, KOTA LAKSAMANA
JAYA, JALAN KLJ 5, 75200 MELAKA**



019-6558966

202201014577 / 1460274 - W